

## Огляд цитування публікацій, які увійшли до роботи

Роботи, які не цитуються в жодній із баз, до переліку не включаються

| № з/п | Назва публікації*  | Кількість посилань, згідно з базами даних |        |                |
|-------|--|---|--------|----------------|
|       |  | Web of Science                            | Scopus | Google Scholar |
| 1     | 2  | 3   | 4      | 5              |
| 1     | Synthesis, structure, thermal and mechanical properties of nanocomposites based on linear polymers and layered silicates modified by polymeric quaternary ammonium salts (ionenes), Burmistr, M.V., Sukhyy, K.M., Shilov, V.V., (...), Tomilo, V.I., Gomza, Y.P., 2005 Polymer, 46(26), c. 12226-12232 | 58  | 66     | 88             |
| 2     | Structure and adsorption properties of the composites 'silica gel-sodium sulphate', obtained by sol-gel method Sukhyy, K.M., Belyanovskaya, E.A., Kozlov, Y.N., Kolomiyets, E.V., Sukhyy, M.P., 2014, Applied Thermal Engineering, 64(1-2), c. 408-412   | 25  | 33     | 55             |
| 3     | The structure of borate glass The structure of borate glass Minakova, N.A., Zaichuk, A.V., Belyi, Ya.I. Glass and Ceramics (English translation of Steklo i Keramika), Volume: 65 Issue: (3-4), Pages: 70–73 Published: 2008.  | 19  | 25     | 32             |
| 4     | Sol-gel synthesis and investigation of proton-conducting hybrid organic-inorganic silicophosphate materials Tsvetkova, I.N., Shilova, O.A., Voronkov, M.G., Gomza, Yu.P., Sukhoy, K.M., 2008, Glass Physics and Chemistry, 34(1), c. 68-76   |   | 24     | 5              |
| 5     | Leaching of vanadium by sulfur dioxide from spent catalysts for sulfuric acid production Nikiforova, A., Kozhura, O., Pasenko, O. Hydrometallurgy. Volume: 164 Pages: 31–37 Published: 2016  | 24  | 24     | 28             |
| 6     | Thermally and dimensionally stable structures of carbon-carbon laminated composites for space applications/Slyvynskiy, V.I., Sanin, A.F., Kharchenko, M.E., Kondratyev, A.V. Proceedings of the International Astronautical Congress, IAC This link is disabled., 2014, 8, pp. 5739–5751               | -   | 22     | -              |
| 7     | Antifrictional polymer composites based on aromatic polyamide and carbon black, Kabat, O., Sytar, V., Sukhyy, K. 2018 Chemistry and Chemical Technology, 12(3), c. 326-330   |   | 20     |                |
| 8     | Al <sup>3+</sup> Additive in the Nickel Hydroxide Obtained by High-Temperature Two-Step Synthesis: Activator or Poisoner for Chemical Power Source Application V. L. Kovalenko, V. A. Kotok, A. Sykchin, B. A. Ananchenko, A.V. Chernyad'ev, A. A. Burkov, S.  | 4   | 18     | 21             |

| 1  | 2  | 3  | 4  | 5  |
|----|--|----|----|----|
|    | Deabate, A. Mehdi, F. Henn <sup>3</sup> , J.-L. Bantignies<br>Show full author list<br>Published 16 June 2020 Journal of The Electrochemical Society, Volume 167, Number 10<br>Citation V. L. Kovalenko et al 2020 <i>J. Electrochem.Soc.</i> 167 100530 DOI 10.1149/1945-7111/ab9a2a                |    |    |    |
| 9  | Radio-transparent ceramic materials of spodumene-cordierite composition.<br>Zaichuk, A.V., Amelina, A.A., Karasik, Y.V., Khomenko, Y.S., Lementareva, V.A., Saltykov, D.Yu. Functional materials. Volume: 26 Issue: 1 Pages:174–181 Published: 2019.   | 6  | 15 | 16 |
| 10 | Resistive humidity sensors based on proton-conducting organic–inorganic silicophosphates doped by polyionenes, Sukhyy, K.M., Gomza, Y.P., Belyanovskaya, E.A., (...), Shilova, O.A., Sukhyy, M.P., 2015, Journal of Sol-Gel Science and Technology, 74(2), c. 472-481                                |    | 14 |    |
| 11 | Structure, thermal properties and ionic conductivity of polymeric quaternary ammonium salts (polyionenes) containing ethylene oxide and aliphatic chain fragments, Burmistr, M.V., Sukhyy, K.M., Shilov, V.V., (...), Spanoudaki, A., Gomza, Y.P. 2005, Solid State Ionics, 176(19-22), c. 1787-1792 | 12 | 14 | 18 |
| 12 | Search for the ways to improve the physical and technical parameters of quartz ceramics<br>Zaychuk A.V.; Amelina A.A.<br>Voprosy Khimii i Khimicheskoi Tekhnologii. Volume: 6, Pages: 63 – 67 Published: 2017  | –  | 14 | –  |
| 13 | Quartz ceramics modified by nanodispersed silica additive.<br>Functional Materials. Volume: 25 Issue: 3 Pages: 613 – 618 Published: 2018.  | 3  | 13 | 12 |
| 14 | Heat-resistant ceramics of $\beta$ -eucryptite composition: Peculiarities of production, microstructure and properties.<br>Zaichuk, A.V., Amelina, A.A., Khomenko, Y.S., Baskevich, A.S., Kalishenko, Y.R.<br>Voprosy Khimii i Khimicheskoi Tekhnologii. Volume: 2 Pages: 52–59 Published: 2020      | –  | 13 | 3  |
| 15 | Development of the combined method to de-orbit space objects using an electric rocket propulsion system<br>A Golubek, P Khorolskiy, M Dron, L Dubovik, O Kulyk, Khorolskiy, P. Eastern-European Journal of Enterprise Technologies 4 (5-106), 78-87  |    | 13 | 21 |
| 16 | Aspects of development and properties of densely sintered of ultra-high-frequency radio-transparent ceramics of cordierite composition.<br>Zaichuk, A., Amelina, A., Kalishenko, Y., Hordieiev, Y., Saltykov, D., Sribniak, N., Ivchenko, V., Savchenko, L.  | 5  | 12 | 9  |

| 1  | 2  | 3 | 4  | 5  |
|----|--|---|----|----|
|    | Journal of the Korean Ceramic Society. Volume: 58<br>Issue: 4 Pages: 483–494 Published: 2021   |   |    |    |
| 17 | The study of properties of composite adsorptive materials "Silica Gel - Crystalline hydrate" For heat storage devices, Sukhyy, K., Belyanovskaya, E., Kovalenko, V., (...), Yeromin, O., Prokopenko, O. 2018, Eastern-European Journal of Enterprise Technologies, 1(6-91), c. 52-58   |   | 10 | 23 |
| 18 | Glass Formation in the MgO–B <sub>2</sub> O <sub>3</sub> –SiO <sub>2</sub> System<br>Hordieiev Y.S.; Karasik E.V.; Zaichuk A.V.<br>Silicon. Volume:15 Issue: 2 Pages: 1085 - 1091<br>Published: 2023   | 8 | 10 | 7  |
| 19 | Patterns in the synthesis processes, the microstructure and properties of strontium-anorthite ceramics modified by glass of spodumene composition.<br>Zaichuk, O., Amelina, A., Hordieiev, Y., Kalishenko, Y., Sribniak, N., Halushka, S., Borodai, D., Borodai, A.<br>Eastern-European Journal of Enterprise Technologies.<br>Volume: 6 Issue: 6 (108) Pages: 15–26 Published: 2020 | – | 10 | 10 |
| 20 | Synthesis and characteristics of celsian ceramic with the use of glass in the system Li <sub>2</sub> O–Al <sub>2</sub> O <sub>3</sub> –B <sub>2</sub> O <sub>3</sub> –SiO <sub>2</sub> .<br>Zaichuk, A.V., Amelina, A.A., Hordieiev, Y.S., Kalishenko, Y.R., Sribniak, N.N.<br>Functional materials. Volume: 27 Issue: 4. Pages: 827–835 Published: 2020                             | 3 | 10 | 7  |
| 21 | Role of ionene in composition of porous structure of template-synthesized silicas, Berezovska, I.S., Yanishpolskii, V.V., Tertykh, V.A., Burmistr, M.V., Sukhyy, K.M., 2006 Journal of Thermal Analysis and Calorimetry, 86(1), c. 93-96   |   | 10 | 10 |
| 22 | Properties of epoxy-thiokol materials based on the products of the preliminary reaction of thioetherification.<br>KM Sukhyy, EA Belyanovskaya, AN Nosova, MK Sukhyi, Y Huang, Yu Kocherhin, T Hryhorenko. ISSN 0321-4095, Voprosy khimii i khimicheskoi tekhnologii, 2021, No. 3, pp. 128-136  |   | 8  | 4  |
| 23 | Synthesis, structure and properties of PbO–PbF <sub>2</sub> –B <sub>2</sub> O <sub>3</sub> –SiO <sub>2</sub> glasses<br>Hordieiev Yu.S.; Zaichuk A.V.<br>Chalcogenide Letters. Volume: 19 Issue:12 Pages: 891 – 899 Published: 2022  | 7 | 8  | 8  |
| 24 | Effect of water pressure on the particle shape of powder in atomization. I. Heat exchange in the atomization spray at high energy carrier pressures / A. F. Sanin,<br>O. S. Nichiporenko Powder Metallurgy and Metal Ceramics, 1988, V.27, 9. - P. 677-680.  | - | 8  | 12 |
| 25 | Performance of an Adsorptive Heat-Moisture Regenerator Based on Silica Gel–Sodium Sulphate.<br>Elena Belyanovskaya, Miroslav Rimár, Roman D Lytovchenko, Miroslav Variny, Kostyantyn M Sukhyy, Oleksandr O Yeromin, Mikhailo P Sykhyy, Elena M   | 4 | 7  | 5  |

| 1  | 2   | 3 | 4 | 5  |
|----|---|---|---|----|
|    | Prokopenko, Irina V Sukha, Mikhailo V Gubinskyi, Jan Kizek.<br>Sustainability 2020, 12(14), 5611; <a href="https://doi.org/10.3390/su12145611">https://doi.org/10.3390/su12145611</a><br>Submission received: 4 May 2020 / Revised: 3 July 2020 / Accepted: 6 July 2020 / Published: 13 July 2020   |   |   |    |
| 26 | Nikiforova, A., Application of lime in two-stage purification of leaching solution of spent vanadium catalysts for sulfuric acid production.- Nikiforova, A., Kozhura, O., Pasenko, O.<br>Hydrometallurgy. Volume: 172 Pages: 51–59 Published: 2017   | 7 | 7 | 9  |
| 27 | Application of laser treatment for hardening parts of gas turbine engines from titanium alloys<br>Girzhon, V.V., Ovchinnikov, A.V. METAL SCIENCE AND HEAT TREATMENT Volume: 58 Issue 11-12 Pages 719-723 Published: MAR 2017  | 5 | 7 |    |
| 28 | Polymeric composite materials of tribotechnical purpose with a high level of physical, mechanical and thermal properties. Oleh Kabat, Volodymyr Sytar, Oleksii Derkach, Kostyantyn Sukhyu. Національний університет" Львівська політехніка". 2021   | – | 6 | 6  |
| 29 | Study of the Influence of R <sub>2</sub> O <sub>3</sub> (R = Al, La, Y) on the Structure, Thermal and some Physical Properties of Magnesium Borosilicate Glasses<br>Hordieiev, Y.S., Zaichuk, A.V.<br>Journal of Inorganic and Organometallic Polymers and Materials. Volume:33 Issue: 2 Pages: 591–598 Published: 2023   | 6 | 6 | 9  |
| 30 | Determining energetic characteristics and selecting environmentally friendly components for solid rocket propellants at the early stages of design<br>O Kositsyna, K Varlan, M Dron, O Kulyk<br>Eastern-European Journal of Enterprise Technologies 6 (6 (114) (2021)), 6–14  |   | 6 | 9  |
| 31 | Study on the effect of plasticizers and thermoplastics on the strength and toughness of epoxy resins / L. M. Mustafa, M. B. Ismailov, A. F. Sanin. Naukovyi Visnyk Natsionalnoho Hirnychoho Universytetu, 2020, № 4. – P. 63-68.  | - | 6 | 9  |
| 32 | Mathematical model of a heating furnace implemented with volumetric fuel combustion. Mirosław Rimar, Andrii Kulikov, Marcel Fedak, Oleksandr Yeromin, Kostyantyn Sukhyu, Olena Gupalo, Elena Belyanovskaya, Rene Berta, Michal Smajda, Madhawa Rasuwan Ratnayake.<br>Processes 2020, 8(4),469; <a href="https://doi.org/10.3390/pr8040469">https://doi.org/10.3390/pr8040469</a> Submission received: 28 February 2020 / Revised: 6 April 2020 / Accepted: 14 April 2020 / Published: 16 April 2020 | – | 5 | 11 |
| 33 | The effect of the cation in spinel ferrite MeFe <sub>2</sub> O <sub>4</sub> (Me= Co, Ni, Mn) on the photocatalytic properties in the degradation of methylene blue. L Frolova, K Sukhyu.  |   | 5 | 6  |

| 1  | 2  | 3 | 4 | 5  |
|----|--|---|---|----|
|    | Volume 62, Part 15, 2022, Pages 7726-7730  |   |   |    |
| 34 | Properties of composite materials based on epoxy resin modified with dibutyltin dibromide, Sukhyy, K.M., Belyanovskaya, E.A., Nosova, A., (...), Kochergin, Yu., Hryhorenko, T., 2021 Voprosy Khimii i Khimicheskoi Tekhnologii, 2021(4), c. 118-125   |   | 5 |    |
| 35 | Study of ceramic pigments with tin sphene structure in the system CaO-MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -SnO <sub>2</sub> -Cr <sub>2</sub> O <sub>3</sub> . Zaichuk, A.V., Amelina, A.A., Sukhyy, K.M, 2020, Pigment and Resin Technology, 49(2), c. 89-95  |   | 5 |    |
| 36 | Width of fission-fragment mass yield at simple statistical approach Denisov, V.Y., Belyanovska, O.A., Khomenkov, V.P., Sedykh, I.Y., Sukhyy, K.M., 2018 International Journal of Modern Physics E, 27(1),1850002   | 5 | 5 | 5  |
| 37 | A study of the influence of additives on the process of formation and corrosive properties of tripolyphosphate coatings on steel, Vlasova, O., Kovalenko, V., Kotok, V., Vlasov, S., Sukhyy, K., 2017, Eastern-European Journal of Enterprise Technologies, 5(12-89), c. 45-51   |   | 5 | 6  |
| 38 | Dielectric relaxation and ionic conductivity of oxyethylene-alkylaromatic polyionenes, Burmistr, M.V., Shilov, V.V., Sukhoi, K.M., Pissis, P., Polizos, G.2003 Polymer Science - Series A, 45(8), c. 785-794   |   | 5 | 5  |
| 39 | Operating regime of adsorptive heat-moisture regenerators based on composites «silica gel - sodium sulphate» and «silica gel - sodium acetate», Belyanovskaya, E.A., Lytovchenko, R.D., Sukhyy, K.M., (...), Sukha, I.V., Prokopenko, E.M., 2019 Journal of Chemistry and Technologies, 27(2), c. 158-168                      | 2 | 4 |    |
| 40 | A simple description of the temperature dependence of the width of the fission-fragment mass yield in <sup>197</sup> Au and <sup>209</sup> Bi at intermediate energies, Denisov, V.Yu., Belyanovska, O.A., Khomenkov, V.P., Sedykh, I.Yu., Sukhyy, K.M. 2019 Chinese Physics C, 43(1),014101                                   | 4 | 4 | 30 |
| 41 | The use of the heat-treated rice husks as elastomeric compositions fillersOvcharov, V.I., Sukhyy, K.M., Sokolova, L.A., (...), Yusupova, L.R., Belyanovskaya, E.A., 2018, Voprosy Khimii i Khimicheskoi Tekhnologii, (3), c. 79-89   |   | 4 |    |
| 42 | Structure, morphology, thermal and conductivity properties of gel electrolyte system based on polyvinyl chloride and LiClO <sub>4</sub> , Klepko, V.V., Slisenko, V.I., Sukhyy, K.M., (...), Serhienko, Y.O., Sukha, I.V. 2018, Nuclear Physics and Atomic Energy, 19(1), c. 43-47   |   | 4 | 4  |
| 43 | Features of formation of the celsian phase during firing of heat-resistant ceramics in the system BaO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> . Zaichuk, A.V., Kalishenko, Y.R., Amelina, A.A., Hordieiev Y.S., Halushka S.A., Savchenko, O.S., Nahorny, M.V.<br>Voprosy Khimii i Khimicheskoi Tekhnologii. Volume:15 | - | 4 | 2  |

| 1  | 2   | 3 | 4 | 5 |
|----|---|---|---|---|
|    | Issue: 3 Pages:26–32 Published: 2022  |   |   |   |
| 44 | Effect of the addition of Al <sub>2</sub> O <sub>3</sub> , ZnO and TiO <sub>2</sub> on the crystallization behavior, thermal and some physical properties of lead borate glasses<br>Hordieiev, Y.S., Zaichuk, A.V.<br>MRS Advances. Volume:8 Issue: 5 Pages: 201–206<br>Published: 2023   | 3 | 4 | 2 |
| 45 | Composition, Structure, and Properties of Sintered Sintered Silicon-Containing Titanium Alloys Bykov, I.O., Ovchinnikov, A.V., Pavlenko, D.V., Lechovitzer, Z.V.<br>POWDER METALLURGY AND METAL CERAMICS<br>Volume: 58 Issue 9-10 Pages 613-621- Published:JAN 2020   |   | 4 |   |
| 46 | Thermal Purification of Natural Graphite by Means of High-Speed Heating. AV Sybir, SS Fedorov, MV Hubynskiy, SM Hubynskiy, SV Koval, KM Sukhyy, SM Foris. ISSN 0321-4095, Voprosy khimii i khimicheskoi tekhnologii, 2020, No. 3, pp. 178-182   |   | 3 | 1 |
| 47 | Technology of obtaining new materials for adsorptive heat energy transformation type of «silica gel - crystalline hydrate», Serhiienko, Y.O., Sukhyy, K.M., Belyanovskaya, E.A., (...), Sukha, I.V., Zaichuk, O.V., 2019 Journal of Chemistry and Technologies, 27(2), c. 239-246   | 2 | 3 |   |
| 48 | The study of activation impact during formation and testing of NI(OH) <sub>2</sub> electrochromic films in the presence of AL <sub>3</sub> <sup>+</sup> and WO <sub>2-4</sub> IONS, Kotok, V., Kovalenko, V., Kovalenko, I., (...), Samojlik, M., Sukhyy, K., 2019 Eastern-European Journal of Enterprise Technologies, 6(5-102), c. 6-13 |   | 3 | 4 |
| 49 | Improvement of strength characteristics of quartz ceramics. Khomenko E.S.; Zaichuk A.V.; Karasik E.V.; Ivchenko V.D.; Sribniak N.M.; Datsenko B.M.<br>Functional Materials. Volume: 27 Issue: 2 Pages: 264 – 269 Published: 2020  | 1 | 3 | 4 |
| 50 | Electrodeposition of copper from methanesulphonate electrolyte Sknar, I.V., Sknar, Y.E., Savchuk, O.O., Kozhura, O.V., Hrydnieva, T.V. Journal of Chemistry and Technologies. Volume: 28 Issue: 1 Pages: 1-9<br>Published: 2020   | 2 | 3 | - |
| 51 | Structure and properties of water-atomized aluminum powder alloy / K.V.Bechke, A.F.Sanin Powder Metallurgy and Metal Ceramics, 2010, V. 49, Nrs 5-6. P. 266-271   | 2 | 3 | - |
| 52 | Effect of water pressure on the particle shape of powder in atomization. II. Predicting the shape of powder particles in atomization with water under a pressure of more than 5 MPa / A. F. Sanin,<br>O. S. Nichiporenko Powder Metallurgy and Metal Ceramics, 1988, V.27, 10. - P. 759 – 763.  | - | 3 |   |

| 1  | 2   | 3 | 4 | 5 |
|----|---|---|---|---|
| 53 | Electrochemical production of hydrogen in reactors with reduced energy costs<br>Nefedov, V., Matveev, V., Sukhyy, K., ...Bluss, B., Mukhachev, A.<br>IOP Conference Series: Earth and Environmental Science, 2023, 1156(1), 012034  |   | 2 |   |
| 54 | A Facile Two-Step PVP-Assisted Deposition of Co-Activated Nanosized Nickel Hydroxide Directly on a Substrate for Large-Scale Production of Supercapacitor Electrodes<br>Kotok, V., Ondrejka, P., Mikolášek, M., ...Kovalenko, V., Sukhyy, K.<br>Coatings., 2023, 13(1), 84                          |   | 2 | 3 |
| 55 | Technology Development for Adsorptive Heat Energy Converters: Emerging Research and Opportunities: Emerging Research and Opportunities.<br>Kostyantyn M Sukhyy, Elena A Belyanovskaya, Mikhailo P Sukhyy. 2020/10/23. IGI Global  |   | 2 | 7 |
| 56 | CHARACTERISTICS INVESTIGATION OF COMPOSITE ELECTROCHROMIC FILMS BASED ON NI(OH) <sub>2</sub> , POLYVINYL ALCOHOL, AND POLYVINYLPIRROLIDONE.<br>Kotok, V., Kovalenko, V., Mikolasek, M., (...), Vodopyan, D., Sukhyy, K. 2022 Eastern-European Journal of Enterprise Technologies 3(6-117), c. 58-65 |   | 2 |   |
| 57 | SYNTHESIS AND TESTING OF ADDITIVES OF PLANT ORIGIN. Tertyshna, O.V., Zamikula, K.O., Polishchuk, V.V., Sukhyy, K.M. 2022 Voprosy Khimii i Khimicheskoi Tekhnologii, (3), c. 83-91   |   | 2 |   |
| 58 | INFLUENCE OF CONCENTRATION OF THIOKOL, AMOUNT OF THE HARDENER AND FILLER ON PROPERTIES OF EPOXIDE-POLYSULPHIDE COMPOSITES. Sukhyy, K.M., Belyanovskaya, E.A., Nosova, A.N., (...), Kocherhin, Y.S., Hryhorenko, T.I, 2021, Journal of Chemistry and Technologies, 29(4), c. 531-539                 | 2 | 2 |   |
| 59 | Influence of the nature and concentration of porogens on the structure and properties of phenylone, Sytar, V.I., Kuzayev, I.M., Sukhyy, K.M., Kabat, O.S., Belyanovskaya, E.A., 2019 Voprosy Khimii i Khimicheskoi Tekhnologii, 2019(6), c. 213-220   |   | 2 |   |
| 60 | Modification technology of montmorillonite by polyionenes, Sukhyy, K.M., Belyanovskaya, E.A., Sukhyy, M.P., Tomilo, V.I. 2018 Journal of Chemistry and Technologies, 26(1), c. 1-8  | 1 | 2 |   |
| 61 | Technology of the regeneration of low-potential heat and moisture by means of the composite sorbent "silica gel-sodium sulfate", Kolomiyets, E.V., Sukhyy, K.M., Belyanovskaya, E.A., Tomilo, V.I., Sukhyy, M.P. 2016 Voprosy Khimii i Khimicheskoi Tekhnologii, 2016(5-6), c. 68-73                |   | 2 |   |

| 1  | 2   | 3 | 4 | 5 |
|----|---|---|---|---|
| 62 | Dielectric relaxation and ionic conductivity of oxyethylene-alkylaromatic polyionenes, Burmistr, M.V., Shilov, V.V., Sukhoj, K.M., Pissis, P., Polizos, G. 2003, Vysokomolekularnye Soedineniya. Ser.A Ser.B Ser.C - Kratkie Soobshcheniya, 45(8), c. 1314-1325   |   | 2 |   |
| 63 | Exploring the impact of Bi <sub>2</sub> O <sub>3</sub> addition on the thermal properties and crystallization behavior of lead borosilicate glasses Hordieiev, Y.S., Zaichuk, A.V. Journal of Ovonic Research. Volume:19 Issue: 4 Pages: 471–481 Published: 2023  | 2 | 2 | 3 |
| 64 | Book Chapter Data integration technology of industrial information systems, Pavlenko, P., Shendryk, V., Balushok, K., Doroshenko, S. Lecture Notes in Mechanical Engineering, 2020, Pages 248-258   |   | 2 |   |
| 65 | Application of Domestic Heat-Resistant Powders in Additive Techniques Glotka, O.A., Ovchinnikov, O.V., Degtyaryov, V.I., Kameneva, S.A. POWDER METALLURGY AND METAL CERAMICS Volume: 56 Issue 11-12 Pages 726-732 Published: MAR 2018   | 2 | 2 |   |
| 66 | Polymer-Inorganic Nanostructured Composites Based on Amorphous Silica, Layered Silicates, and Polyionenes. Sukhyy, K.M., Belyanovskaya, E.A. PolymerInorganic Nanostructured Composites Based on Amorphous Silica, Layered Silicates, and Polyionenes, 2023, Pages 1–303  |   | 1 |   |
| 67 | Investigation of the ferritization process in the Co <sup>2+</sup> –Fe <sup>2+</sup> –SO <sub>4</sub> <sup>2-</sup> –OH <sup>-</sup> system under the action of contact non-equilibrium low-temperature plasma. L Frolova, K Sukhyy. Applied Nanoscience, 2022/4/1, P.1-8   |   | 1 | 2 |
| 68 | Rheological Properties of Polymer-Polymer Mixtures on Corn Starch Base. Miroslav Rimar, Artem Tretyakoff, Kostyantyn Sukhyy, Oleksandr O Yeromin, Andrii Kulikov, Marcel Fedak, Elena Belyanovskaya, Ihnat Shunkin, Olena V Gupalo, Tibor Krenicky. MM Science Journal, Czech Republic DOI: 10.17973/MMSJ.2022_12_2022147 |   | 1 | 1 |
| 69 | Dynamic Mechanical Properties of Epoxy Composites Modified with Polysulphide Rubber. Kostyantyn Sukhyy, Elena Belyanovskaya, Alla Nosova, Irina Sukha, Mikhailo Sukhyy, Yudong Huang, Yuriy Kochergin, Tetiana Hryhorenko. Chem. Chem. Technol., 2022, Chemistry Vol. 16, No. 3, pp. 432–439                              |   | 1 | 1 |
| 70 | Investigation of photocatalytic activity of NiFe <sub>2</sub> O <sub>4</sub> in the oxidation reaction of 4-nitrophenol. L Frolova, K Sukhyy. Molecular Crystals and Liquid Crystals. Pages97-104. <a href="https://doi.org/10.1080/15421406.2021.1905287">https://doi.org/10.1080/15421406.2021.1905287</a>              |   | 1 | 1 |
| 71 | INFLUENCE OF POLYOXYPROPYLENETRIAMIN AND CONTENT OF OXIRANE RINGS ON PROPERTIES OF EPOXY-POLYSULFIDE  | 1 | 1 |   |



| 1  | 2  | 3 | 4 | 5 |
|----|--|---|---|---|
|    | COMPOSITES. Sukhyy, K.M., Belyanovskaya, E.A., Nosova, A.N., (...), Kocherhin, Y.S., Hryhorenko, T.I. 2022, Journal of Chemistry and Technologies, 30(4), c. 577-587   |   |   |   |
| 72 | Experimental and theoretical investigation of the pore formation process in gas-filled polymeric materials. Sytar, V.I., Kuzyayev, I.M., Sukhyy, K.M., Kabat, O.S. 2021 Journal of Chemistry and Technologies, 29(2), c. 279-300   | 1 | 1 |   |
| 73 | Non-Aqueous Ionic Liquids Based on Quaternary Ammonium Salts for Lithium-Sulfur Batteries Ovchinnikova, O., Polishchuk, Y., Sukhyy, K., Shembel, E., 2021 ECS Transactions, 105(1), c. 219-223   |   | 1 |   |
| 74 | The preparation of biodegradable composite materials based on polyvinyl alcohol, Sytar, V.I., Sukhyy, K.M., Mitina, N.B., Garmash, S.M., Lisichenko, B.O. 2020 Voprosy Khimii i Khimicheskoi Tekhnologii, 2020(1), c. 86-91  |   | 1 |   |
| 75 | Obtaining technology for nanocomposites based on polyamide-6 and organomodified montmorillonite, Sukhyy, K.M., Belyanovskaya, E.A., Sukhyy, M.P., Tomilo, V.I., Lytovchenko, R.D. 2018 Journal of Chemistry and Technologies, 26(1), c. 9-19   |   | 1 |   |
| 76 | Proton-conducting organic-inorganic silicophosphates doped by polyionenes. Sukhyy, K.M., Gomza, Y.P., Belyanovskaya, E.A., (...), Sukhyy, M.P., Gavrillo, A.V, 2015 Voprosy Khimii i Khimicheskoi Tekhnologii, 2015(5), c. 95-102  |   | 1 |   |
| 77 | Solar adsorptive chiller based on composite sorbent 'silica gel-sodium acetate' synthesized by sol-gel method Sukhyy, K.M., Belyanovskaya, E.A., Sukha, I.V., (...), Gavrillo, A.V., Sukhyy, M.P., 2015, Voprosy Khimii i Khimicheskoi Tekhnologii, 2015(6), c. 80-86  |   | 1 |   |
| 78 | Structure, thermal and crystallization behavior of lead-bismuth silicate glasses Hordieiev, Y.S., Zaichuk, A.V. Results in Materials. Volume:19 Issue: 3 Pages: 10044 Published: 2023  | - | 1 | 2 |
| 79 | Ultra-high-frequency radio-transparent ceramics of cordierite composition doped with MgO–Al <sub>2</sub> O <sub>3</sub> –B <sub>2</sub> O <sub>3</sub> –SiO <sub>2</sub> glass: Synthesis, microstructure, thermal and physical properties Zaichuk, A.V., Amelina, A., Hordieiev, Y.S., Kalishenko, Y.R. Open Ceramics. Volume: 15 Pages: 1003772 Published: 2023        | - | 1 | 2 |
| 80 | The influence of the Gaussian curvature sign of the compound shell structure's middle surface on local and overall buckling under combined loading. Grishchak V.Z., Hryshchak D.V., Dyachenko N.M., Baburov V.V. Space Science and Technology. 2022; 28(4):31-38. Doi: <a href="https://doi.org/10.15407/knit2022.04.031">https://doi.org/10.15407/knit2022.04.031</a> . | - | 1 | 1 |

| 1  | 2  | 3 | 4 | 5 |
|----|--|---|---|---|
| 81 | Special features of the phase composition and structure of aluminum alloys modified by refractory nanocompositions / N.Kalinina, D.Glushkova, A. - .Voronkov, A.Sanin etc. Functional materials, 2020, 27, N 3. – P. 508-512.  | 1 | 1 | - |
| 82 | Numerical Simulation of a Modified Nozzle for Cold Spraying Shorinov, O., Volkov, A., Dolmatov, A., Balushok, K. Lecture Notes in Mechanical Engineering, 2024, Pages 571–579  |   | 1 |   |
| 83 | Reconditioning rotor components of gas turbine engines produced from titanium alloys by welding using modified submicrocrystalline filler materials<br>Petrik, I.A., Kovalenko, T.A., Ovchinnikov, A.V.<br>WELDING INTERNATIONAL Volume: 30 Issue 2<br>Pages 123-128 Published: FEB 2016   |   | 1 |   |
| 84 | Detecting the influence of heat sources on material properties when producing aviation parts by a direct energy deposition method<br>Gnatenko, M., Zhemanyuk, P., Petryk, I., Sakhno, S., Chigileichik, S., Naumik, V., Ovchinnikov, A.O., Matkovskaya, M<br>EASTERN-EUROPEAN JOURNAL OF ENTERPRISE TECHNOLOGIES Volume: 1 Issue 12-97 Pages 49-55-<br>Published:2019  |   | 1 |   |
| 85 | Study of ceramic pigments with tin sphene structure in the system CaO-MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -SnO <sub>2</sub> -Cr <sub>2</sub> O <sub>3</sub> .<br>Aleksandr Viktorovich Zaichuk, Aleksandra Andreevna Amelina, Kostyantyn Mikhalovich Sukhyy. Pigment & Resin Technology, Vol. 49 No. 2, pp. 89-95. <a href="https://doi.org/10.1108/PRT-04-2019-0038">https://doi.org/10.1108/PRT-04-2019-0038</a>  |   |   | 4 |
| 86 | A Facile Two-Step PVP-Assisted Deposition of Co-Activated Nanosized Nickel Hydroxide Directly on a Substrate for Large-Scale Production of Supercapacitor Electrodes. Valerii Kotok, Peter Ondrejka, Miroslav Mikolášek, Michaela Sojková, Patrik Novák, Maroš Gregor, Vadym Kovalenko, Kostyantyn Sukhyy. Coatings 2023, 13(1), 84; <a href="https://doi.org/10.3390/coatings13010084">https://doi.org/10.3390/coatings13010084</a> |   |   | 3 |
| 87 | Kinetics of dissolution of asphalt-resin-paraffin deposits when adding dispersing agents. OV Tertyshna, KO Zamikula, KM Sukhyy, MV Toropin, KS Burmistrov. ISSN 0321-4095, Voprosy khimii i khimicheskoi tekhnologii, 2022, No. 4, pp. 84-91   |   |   | 3 |
| 88 | Thermal conditions of adsorptive heat storage device operating in open-mode for heating inflowing air. Elena Belyanovskaya, Roman Lytovchenko, Kostyantyn Mikhaylovich Sukhyy, Yana Oleksandrivna Serhiienko, Mikhaylo Porfiryevich Sukhyy, Irina Valeriivna Sukha. Scientific Works, 85(1). <a href="https://doi.org/10.15673/swonaft.v85i1.2062">https://doi.org/10.15673/swonaft.v85i1.2062</a>                                   |   |   | 2 |

| 1                                  | 2   | 3   | 4   | 5   |
|------------------------------------|---|-----|-----|-----|
| 89                                 | PECULIARITIES OF HIGH-TEMPERATURE REFINING OF CARBON MATERIALS. AV Sybir, SM Hubynskiy, SS Fedorov, KM Sukhyu, MV Hubynskiy, TY Vvedenska. ISSN 0321-4095, Voprosy khimii i khimicheskoi tekhnologii, 2023, No. 6, pp. 177-186  |     |     | 1   |
| 90                                 | Experimental and theoretical investigation of the pore formation process in gas-filled polymeric materials. V Sytar, I Kuzyayev, K Sukhyu, O Kabat. Journal of Chemistry and Technologies, 2021, 29(2), 279-300   |     |     | 1   |
| 91                                 | Комп'ютерна алгебра у розв'язанні прикладних задач механіки конструкцій зі змінними параметрами. Грицак Д. В. монографія. Херсон: Видавничий дім «Гельветика», 2020. 218 с.   | 1   | -   | -   |
| 92                                 | Поведінка тришарової пластини зі змінними за часом масою та коефіцієнтом згасання при динамічному навантаженні. Ганілова О.А., Грицак Д.В. Проблеми обчислювальної механіки і міцності конструкцій – 2010.-Випуск 14, -С. 116-122.  | -   | -   | 1   |
| 93                                 | Полімерні композиційні матеріали у ракетно-космічній техніці. Підручник / Джур Є.О., Кучма Л.Д., Сітало В.Г., Манько Т.А., Санін Ф.П., Санін А.Ф. Київ, Вища освіта, 2003. – 400 с.   | -   | -   | 24  |
| 94                                 | Космос і технології. Підручник / Санін Ф.П., Джур Є.О., Санін А.Ф., Хуторний В.В. Д.: АРТ-ПРЕСС, 2005. - 456 с.   | -   | -   | 8   |
| 95                                 | Твердопаливні ракетні двигуни. Матеріали і технології. Підручник / Джур Є.О., Кучма Л.Д., Санін Ф.П., Санін А.Ф. Вид-тво Дніпропетровського університету, 1999. - 320 с.  | -   | -   | 6   |
| 96                                 | Study of the effect of plasticizers and thermoplastics on the mechanical properties of epoxy and carbon fiber reinforced plastic / Mustafa L.; Yermakhanova, A.. Ismailov M.; Sanin A. Комплексное использование минерального сырья (Complex Use of Mineral Resources). 2019, №4 (311). – С. 48-56. | 2   | -   | 5   |
| 97                                 | Investigation of the Technology of Introducing Li, Mg and Zr Alloys into Aluminum Alloy / Ablakatov, I.K., Ismailov, M. B., Mustafa, L. M., Sanin, A. F. Complex Use of Mineral Resources. – 2023. – №4 (322). – P. 32-40.  | 1   | -   | -   |
| 98                                 | Thermal and crystallization behavior of aluminum-doped bismuth borate glasses<br>Hordieiev, Y., Zaichuk, A.<br>MRS Advances. Published: 2024  | -   | 1   | 0   |
| 99                                 | Impact of aluminum fluoride addition on crystallization, structure and thermal properties of lead borate glasses<br>Hordieiev, Y.S., Zaichuk, A.V.<br>Chalcogenide Letters. Volume:21 Issue: 3 Pages: 243–253, Published: 2024  | -   | 1   | 0   |
| <b>Загальна кількість цитувань</b> |   | 231 | 589 | 596 |
| <b>h-індекс</b>                    |   | 7   | 13  | 12  |

*\*Відповідно до ДСТУ 8302:2015 «Інформація та документація. Бібліографічне посилання. Загальні положення та правила складання», і електронне посилання на неї (для електронних публікацій обов'язково, для інших - за наявності). Послідовність розміщення публікацій з у порядку: монографії/підручники/посібники/методики тощо; статті (окремо ті, що входять до наукометричних баз Web of Science, Scopus, Google Scholar, фахові вітчизняні та інші – без повторів), матеріали конференцій/тези, патенти (вказати країну), авторські свідоцтва, інші публікації.*

Статті в таблиці розміщуються за спаданням кількості цитувань кожної роботи; h – індекс поданої роботи визначається за останнім порядковим номером роботи, в якому кількість цитувань перевищує або дорівнює порядковому номеру роботи в таблиці.

Необхідно вказати те написання прізвища, ініціалів (чи імені) автора, які сам автор зазначив при реєстрації (тобто ті, які записано у його профілі).

Уточнення для Scopus:

1. основне (перше) ім'я в профілі автора, наприклад: Spamoilen, O.H.

2. його author ID, наприклад, Scopus author ID: 1111111111.

У авторів може бути декілька таких ID, так як їх створює система (Scopus).